## **Author index**

Abe T see Shibata T Acland GM see Ray K Aggrey SE see Yao J Aguirre GD see Ray K

Alexander LJ, Rohrer GA & Beattie CW: Cloning and characterization of 414 polymorphic porcine microsatellites, 137

Amills M, Francino O & Sànchez A: A caprine dinucleotide repeat: microsatellite CHI AE54, 435 Anastassiadis C see Kühn R

Anastassiadis C, Leyhe B, Olsaker I, Friedl R, Rottman O, Hiendleder S & Erhardt G: Three polymorphic microsatellites for bovine chromosomes 7, 12 and 19, 125

Andersson L see Beever JE see also Marklund L

Anglana M & Giulotto E: An anonymous horse probe detects a *Hae*III RFLP, 285

Anglana M, Vigoni MT & Giulotto E: Four horse genomic fragments containing minisatellites detect highly polymorphic DNA fingerprints, 286

Ansari HA see Broad TE

Antoniou E, Oulmouden A, Skidmore V & Urdaci M: Isolation of a Y-specific bovine DNA fragment using minisatellite-related PCR primers, 214

Archibald AL, Couperwhite S & Jiang ZH: The porcine TTR locus maps to chromosome 6q, 351

Archibald AL, Couperwhite S, Mellink CHM, Lahib-Mansais Y & Gellin J: Porcine alpha-1 antitrypsin (PI): cDNA sequence, polymorphism and assignment to chromosome 7q2.4—q2.6, 85

Armitage SM see Beever JE Armour JAL see Signer EN

Arranz JJ, Bayón Y & San Primitivo F: Comparison of protein markers and microsatellites in differntiantion of cattle populations, 415

Arriëns MA, Hofer A, Obexer-Ruff G & Lazary S: Lack of association of bovine MHC class I alleles with carcass and reproductive traits, 429

Arthur JA see Lamont SJ Ashwell MS, Ogg SL & Mather IH: The bovine butyrophilin gene maps to chromosome 23, 171

Ashwell MS, Rexroad Jr CE, Miller RH & VanRaden PM: Mapping economic trait loci for somatic cell score in Holstein cattle using microsatellite markers and selective genotyping, 235

Bailey E see Coogle L Baker RJ see Cathey JC

Band M & Ron M: Creation of SINE enriched library for the isolation of polymorphic (AGC)<sub>n</sub> microsatellite markers in the bovine genome, 243

Barendse W see Beever JĒ see also Byrne K see also Hirano T see also Konfortov BA see also Shalom A see also Sun HS see also Weikard R see also Williams JL Bargelloni L see Ostellari L Barragán C see Castellanos C Bautista M see Eggleston-Scott ML

Bayón Y see Arranz JJ Beattie CW see Alexander LJ see also Beever JE

see also Stone RT Beaumont C see Girard-Santosuosso O

Beck NJ see Lamont SJ Beever JE see Ma RZ

Beever JE, Lewin HA, Barendse W, Andersson L, Armitage SM, Beattie CW, Burns BM, Davis SK, Kappes SM, Kirkpatrick BW, Ma RZ, McGraw RA, Stone RT & Taylor JF: Report of the First Workshop on the Genetic Map of Bovine Chromosome 23, 69

Beh KJ see Davies KP see also Hulme DJ

Bell K & Colling DT: Unequivocal identification of the equine Dcfmqr phenogroup, 103

Bendixen C see Nielsen VH

Benkel BF, Grunder AA, Burke D & Ponce de León FA: A PCR-based diagnostic test for the endogenous retroviral eelment ev-B6 of chickens, 436

B6 of chickens, 436 Bertaud M see Guérin G Bertschinger HU see Vögeli P Bickerstaffe R see Roberts N Birnbaum S see Cole SA Bishop MD see Kriegesmann B see also Sun HS

Blattman AN, Kirkpatrick BW & Gregory KE: A search for quantitative trait loci for ovulation rate in cattle, 157

Bongers ABJ see Wiergertjes GF Bordas A see Tixier-Boichard M Bordingnon V see Pegoraro L Bouquet Y see Peelman LJ Bowling AT see Eggleston-Scott ML

Bowling AT, Byrns G & Spier S: Evidence for a single pedigree source of the hyperkalemic periodic paralysis susceptibility gene in Quarter Horses, 279

Brenig B & Leeb T: Identification of a G/C transversion polymorphism in intron 38 of the porcine skeletal muscle ryanodine receptor gene, 128

Brenig B see Kriegesmann B see also Wen G

Broad TE, Lambeth M, Burkin DJ, Jones C, Pearce PD, Maher DW & Ansari HA: Physical mapping confirms that sheep chromosome 10 has extensive conserved synteny with cattle chromosome 12 and human chromosome 13, 249

Brown SC see Muladno see also Zhang W Brusgaard K see Shukri NM Buitkamp J see Schmidt P Buitkamp J, Obexer-Ruff G, Kreßler M & Eppelen JT: A microsatellite (BOBT24) located between the bovine IL4 and IL13 loci is polymorphic in cattle and goat, 212

Bullock DW see Escayg AP Burke D see Benkel BF Burkin DJ see Broad TE Burns BM see Beever JE

Byrne K, Barendse W & Moore SS: Dinucleotide polymorphism at the bovine potassium voltage gate 1 channel locus (KCNA4), 437

Byrns G see Bowling AT

Cahaner A see Yancovich A
Capuano M see Pappalardo M
Carruthers VR see Rajan GH
Castellanos C, Barragán C & Rodriguez MC:
Detection of four porcine Y-specific
markers by RAPD, 433

Castiglioni B see Nijman IJ see also Redaelli L see also Williams JL

Cathey JC, Smith LM, Baker RJ & DeWoody JA: Trinucleotide repeat polymorphism at the alpha enolase/tau-crystallin locus in ducks. 130

Čepica S, Moser G, Schröffel Jr J, Knorr C, Geldermann H, Stratil A & Hojny J: Chromosomal assignment of porcine EAD,EAO, LPR and P3 genes by linkage analysis, 109

Cheng H see Shalom A Cherry LM see Perelygin AA Chowdhary BP see Martín-Burriel I see also Olsaker I

Clutter AC, Sasaki S & Pomp D: PCR-based polymorphisms in the *cholecystokinin* (*CCK*) gene and assignment to chromosome 13, 369

Cole SA, Birnbaum S & Hixson JE: MspI RFLP at the CETP locus in baboons, 63

Cole SA, Presley L & Hixson JE: Taql RFLP at the LIPC locus in baboons, 63 Colin P see Girard-Santosuosso O Collier LL see Shibuya H Colling DT see Bell K Collins BK see Shibuya H

Comincini S see Redaelli L
Coogle L, Bailey E, Reid R & Russ M:
Equine dinucleotide repeat
polymorphisms at loci LEX002, -003, 004, -005, -007, -008, -009, -010, -011, 013 and -014, 126

Coogle L, Reid R & Bailey E: Equine dinucleotide repeat loci from *LEX025* to *LEX033*, 289

Coogle L, Reid R & Bailey E: Equine dinucleotide repeat loci *LEX015–LEX024*, 217

Cooper DW see Parsons YM
Coppieters W see Marklund L
see also Peelman LJ
Cosenza G see Pappalardo M
Coughlan J, McCarthy E, McGregor D,

O'Donoghue P, Galvin P, Fitzgerald R, Daemen E, Imsland A, Stefansson S & Cross T: Four polymorphic microsatellites in turbot *Scophthalmus* maximus, 441

Couperwhite S see Archibald AL Crooijmans RPMA see Liu Z see also Ruyter-Spira CP Cross T see Coughlan J see also McGregor D

Cruzel J see Riquet J

Daemen E see Coughlan J

Darvasi A see Shalom A
Davies KP see Hulme DJ
Davies KP, Maddox JF, Harrison B &
Drinkwater R: Ovine dinucleotide repeat
polymorphism at seven anonymous loci,

Davies KP, Maddox JF, Harrison B & Drinkwater R: Ovine dinucleotide repeat polymorphism at eight anonymous loci, 381

Davies KP, Maddox JF, Hulme DJ & Beh KJ: Ovine dinucleotide repeat polymorphism at four anonymous loci, 382

Davies W see Marklund L Davis SK see Beever JE

Davis SK see Beever JE
Davoli R, Nicoli D, Zambonelli P & Russo
V: VNTR at porcine GPI locus, 290

de Andrés-Cara DF see Vega-Pla JL de Vries BJ see Groenen MAM DelValle A see Eggleston-Scott ML DeWoody JA see Cathey JC Dightman DA see Park LK Diikhof RIM see Ruyter-Spira CP

Dijkhof RJM see Ruyter-Spira CP Dodds KG see Escayg AP Dorado G see Vega-Pla JL

Doud L see Sun HS Drinkwater R see Davies KP

see also Lanneluc I Drummond PB see Smith EJ Dulout FN see Giovambattista G

East IJ see Sitte K
Eggen A see Sun HS
Eggleston-Scott ML, DelValle A, Bowling
AT, Bautista M, Zahorchak R & Malyj W:
Four equine dinucleotide repeats at
microsatellite loci UCDEQ5, UCDEQ14,
UCDEQ46 and UCDEQ62, 129

Elduque C, Rodellar C & Zaragoza P: RFLPs at the amylase 1 locus in cattle, 213

Eledath FM & Hines HC: Detection of nucleotide variations in the D-loop region of bovine mitochondrial DNA using polymerase chain reaction-based methodologies, 333

Ellegren H see Marklund L Elsen J-M see Pitel F

Engelbrecht JS & van der Bank FH: Genetic relationships between Marico barb (Barbus motebensis, Steindacher 1894), Redtail barb (B. gurneyi, Günther 1868) and Amatola barb (B. amatolicus, Skelton 1990), 77

Eppelen JT see Buitkamp J Erhardt G see Anastassiadis C see also Hiendleder S see also Ikonen T see also Prinzenberg EM Erhardt G: Detection of a new K-casein variant in milk of Pinzgauer cattle, 105
Escayg AP, Hickford JGH, Montgomery GW,
Dodds KG & Bullock DW: Polymorphism
at the ovine major histocompatibility
complex class II loci, 305

Everest M see Taylor C

Ferretti L see Harlizius B
see also Nijman IJ
see also Redaelli L
see also Tammen I
see also Williams JL
Fésüs L see Zsolnai A
Finlay O see Kossarek LM
Fitzgerald R see Coughlan J
Francino O see Amills M
Fredholm M & Winterø AK: Efficient
resolution of parentage in dogs by

resolution of parentage in dogs by amplification of microsatellites, 19 Fredholm M see Marklund L Friedl R see Anastassiadis C Fries R see Olsaker I see also Vögeli P

Galvin P see Coughlan J see also McGregor D Garrido JJ see Vega-Pla JL Geisert R see Messer L Geldermann H see Čepica S see also Hecht C Gellin J see Archibald AL

see also Pitel F see also Riquet J

Giovambattista Ĝ, Golijow CD, Dulout FN & Lojo MM: Gene frequencies of *DRB3.2* locus of Argentine Creole cattle, 55

Girard-Santosuosso O, Lantier I, Millet N, Mouline C, Protais J, Colin P, Beaumont C & Lantier F: *Taq*I and *Hin*dIII RFLPs at the chicken *PAX3* locus, 374

Girard-Santosuosso O, Lantier I, Millet N, Mouline C, Protais J, Colin P, Beaumont C & Lantier F: BamHI RFLP at the chicken ACRG locus, 375

Girard-Santosuosso O, Lantier I, Millet N, Mouline C, Protais J, Colin P, Beaumont C, Lantier F: Pvull PCR polymorphism at the chicken VIL locus, 375

Giulotto E see Anglana M Goldammer T see Kühn Ch Golijow CD see Giovambattista G Gootwine E see Yossefi S

Green CA see Ma RZ Gregory KE see Blattman AN

Groenen MAM see Liu Z see also Ruyter-Spira CP

Groenen MAM, de Vries BJ & van der Poel JJ: Alignment of the PiGMaP and USDA linkage maps of porcine chromosomes 3 and 9, 355

Groeneveld A see Wiergertjes GF Grosse WM see Kossarek LM Gruenbaum Y see Khatib H Grunder AA see Benkel BF

Guérin G & Bertaud M: Characterization of two polymorphic horse microsatellites: HMS15 and HMS20, 123

Guérin G see Harlizius B see also Nijman IJ see also Olsaker I see also Redaelli L see also Williams JL Hagger C see Vögeli P Haigh J see Talbot J Harlizius B, Guérin G & Ferretti L: IDVGA65 (D6S29), a SSCP marker

assigned to BTA6 by means of FISH, genetic and synteny mapping, 379

Harrison B see Davies KP see also Lanneluc I Hasagawa T see Ishida N

Hawken RJ & Maddox JF: An ovine dinucleotide repeat polymorphism at the RJH1 locus, 219

Haves IF see Yao I

Hecht C & Geldermann H: Variants within the 5'-flanking region and the intron I of the bovine growth hormone gene, 329

Helm J see Kapke P Henke M see Weikard R Heyen DW see Ma RZ Hickford JGH see Escayg AP see also Roberts N

Hiendleder S see Anastassiadis C see also Prinzenberg EM

Hiendleder S, Weimann C, Leyhe B, Müller-Schlösser F & Erhardt G: A Pstl RFLP at the bovine INHBA locus, 212

Hillel J see Tixier-Boichard M see also Yancovich A Hines HC see Eledath FM

Hirano T, Nakane S, Mizoshita K, Yamakuchi H, Inoue-Murayama M, Watanabe T, Barendse W, Sugimoto Y: Characterization of 42 highly polymorphic bovine microsatellite markers, 365

markers, 365
Hixson JE see Cole SA
Hofer A see Arriëns MA
Hojný J see Čepica S
Holm L-E see Shukri NM
Høyheim B see Jørgensen CB

see also Marklund L Huang TH-M see Shibuya H

Hulme DJ & Smith AJ: Anonymous sheep microsatellite markers McM4, McM105, McM126, McM380, McM541 and McM554, 440 Hulme DJ see Davies KP

Hulme DJ, Davies KP, Beh KJ & Maddox JF: Ovine dinucleotide repeat polymorphism at the McM218, McM150 and McM138 loci, 57

Ikonen T see Prinzenberg EM
Ikonen T, Ruottinen O, Erhardt G & Ojala
M: Allele frequencies of the major milk
proteins in the Finnish Ayrshire and
detection of a new k-casein variant, 179
Imsland A see Coughlan J
Inoue-Murayama M see Hirano T

Inoue-Murayama M see Hirano 1 Ishida N, Hasagawa T & Mukoyama H: DNA polymorphism of the ryanodine receptor gene, exon 17, among six equus species, 376

Ishida N, Hasegawa T, Oyunsuren T & Mukoyama H: PCR-RFLP analysis of the cytochrome b gene in horse mitochondrial DNA, 359 Ishiguro N see Okumura N

Jansen S see Kriegesmann B Jazwinska EC see Sitte K Jeffreys AJ see Signer EN Jiang ZH see Archibald AL Johansson Moller M see Marklund L Johnson GS see Nonneman D see also Shibuya H Jones C see Broad TE

Jörg H see Neuenschwander S Jørgensen CB see Konfortov BA

Jørgensen CB, Høyheim B & Thomsen PD: A polymorphic porcine dinucleotide repeat S0532 (BHT487) at chromosome 13q48, 439

Jørgensen CB, Høyheim B & Thomsen PD: A polymorphic porcine dinucleotide repeat S0531 (BHT10) at chromosome 1p22, 439

Jørgensen CB, Konfortov BA & Miller JR: A polymorphic microsatellite locus (AFZ1) derived from a bovine brain cortex cDNA library, 220

Jørgensen CB, Konfortov BA, Thomsen PD, Miller NGA & Miller JR: Four sequenced tagged sites derived from a bovine chromosome enriched library, 377 Juneja RK see Marklund L

, ---,

Kaiser MG see Lamont SJ Kapke P, Wang L, Helm J & Rothschild MF: Integration of the PiGMaP and USDA maps for porcine chromosome 14, 187 Kappes SM see Beever JE

see also Stone RT Kessler JL see Mariat D

Khatib H & Gruenbaum Y: Chicken red blood cells as a substrate for direct polymerase chain reaction, 53

Kirkpatrick BW see Beever JE see also Blattman AN see also Sun HS

Knorr C see Čepica S

Konfortov BA see Jørgensen CB Konfortov BA, Jørgensen CB, Barendse W & Miller JR: Five bovine polymorphic

microsatellite markers (AF1-AF5), 220 Kossarek LM, Finlay O, Grosse WM, Su X, McGraw RA: Seven bovine dinucleotide repeat polymorphisms: RM042, RM128, RM134, RM154, RM162,RM181, RM509,

Kreßler M see Buitkamp J

Kriegesmann B, Jansen S, Bishop MD & Brenig B: The equine MSH-R *Taql* RFLP is not informative for hair colour in Arabian horses, 64

Kritchmann N see Tixier-Boichard M Kühn Ch see Schmidt P see also Weikard R

Kühn Ch, Weikard R, Goldammer T & Olsaker I: FBN3 (D6S24): a bovine microsatellite derived from cosmid cIOBT475 at chromosome 6q12-14, 61

Kuhn M see Lamont SJ Kühn R, Anastassiadis C & Pirchner F: Transfer of bovine microsatellites to the cervine (*Cervus elaphus*), 199

Kühnlein U see Yao J

Lahib-Mansais Y see Archibald AL Lakshmanan N see Lamont SJ Lambeth M see Broad TE Lamont SJ, Lakshmanan N, Plotsky Y, Kaiser MG, Kuhn M, Arthur JA, Beck NJ & O'Sullivan NP: Genetic markers linked to quantitative traits in poultry, 1 Lang KDM, Wang Y & Plante Y: Fifteen polymorphic dinucleotide microsatellites in llamas and alpacas, 293

Lanneluc I, Mulsant P, Harrison B & Drinkwater RD: Denaturing gradient gel electrophoresis detection of polymorphism in a PCR fragment of sheep epidermal growth factor gene, 99 Lantier F see Girard-Santosuosso O

see also Pitel F Lantier I see Girard-Santosuosso O

see also Pitel F Lazary S see Arriëns MA Leeb T see Brenig B

see also Wen G Lenstra JA see Nijman IJ Lester DH see Teres V

see also Urquhart BGD

Levin I see Yancovich A
Lewin HA see Beever JE
see also Ma RZ
see also Zanotti M

Leyhe B see Anastassiadis C see also Hiendleder S

Lie Ø see Slettan A Liu Z, Crooijmans RPMA, van der Poel JJ & Groenen MAM: Use of chicken microsatellite markers in turkey: a pessimistic view, 191

Lojo MM see Giovambattista G Longeri M see Zanotti M Lord EA see Lumsden JM Ludt C see Schmidt P

Lumsden JM, Lord EA & Montgomery GW: Characterization and linkage mapping of ten sheep microsatellite markers derived from a sheep x hamster cell hybrid, 203

Ma RZ see Beever JE

Ma RZ, Russ I, Park C, Heyen DW, Beever JE, Green CA & Lewin HA: Isolation and characterization of 45 polymorphic microsatellites from the bovine genome,

Maddox JF see Davies KP see also Hawken RJ see also Hulme DJ

Mahaney SM see Perelygin AA Maher DW see Broad TE Malyj W see Eggleston-Scott ML Mariani P see Marklund L

Mariat D, Kessler JL, Vaiman D & Panthier JJ: Polymorphism characterization of five canine microsatellites, 434

Marklund L, Johansson Moller M, Høyheim B, Davies W, Fredholm M, Juneja RK, Mariani P, Coppieters W, Ellegren H & Andersson L: A comprehensive linkage map of the pig based on a wild pig—Large White intercross, 255

Martín-Burriel I, Chowdhary BP, Prakash B, Zaragoza P & Olsaker I: A polymorphic bovine dinucleotide repeat DXYS4 (IOZARA 1489) at the pseudo-autosomal region of the sex chromosomes, 287

Martín-Burriel I, Chowdhary BP, Prakash B, Zaragoza P & Olsaker I: A polymorphic bovine dinucleotide repeat *DITS29* (IOZARA 975) at chromosome 17q26, 287

Mather IH see Ashwell MS Matsui A see Okumura N Mattheeuws M see Peelman LJ McCarthy E see Coughlan J McGraw RA see Beever JE see also Kossarek LM McGregor D see Coughlan J

McGregor D, Galvin P, Sadusky T & Cross T: PCR amplification of a polymorphic minisatellite VNTR locus in whiting (Merlangius merlangus L.), 49 Meijerink E see Neuenschwander S

Meirelles FV see Pegoraro L
Mellink CHM see Archibald AL
Messer L, Wang L, Yelich J, Pomp D,
Geisert R & Rothschild MF: Linkage
mapping of the retinoic acid receptor-y

gene to porcine chromosome 5, 175 Mezzelani A see Redaelli L Milan D see Riquet J

Miller JR see Jørgensen CB see also Konfortov BA Miller NGA see Jørgensen CB Miller RH see Ashwell MS

Millet N see Girard-Santosuosso O Mizoshita K see Hirano T Montgomery GW see Escayg AP

see also Lumsden JM Moore SS see Byrne K

Moquin L see Pegoraro L Moran C see Muladno see also Zhang W

Moran P see Park LK Morgan ALG see Williams JL Morisson M see Tixier-Boichard M

Morris CA see Rajan GH Moser G see Čepica S Mouline C see Girard-Santosuosso O

Mukoyama H see Ishida N Muladno, Brown SC & Moran C: Microsatellite mapping of the brain natriuretic peptide (BNP1) locus to

porcine chromosome 6, 289 Müller-Schlösser F see Hiendleder S Mulsant P see Lanneluc I

Nakane S see Hirano T Nakano M see Okumura N Nall CA see Skow LC

see also Riquet J

Neuenschwander S, Rettenberger G, Meijerink E, Jörg H & Stranzinger G: Partial characterization of porcine obesity gene (*OBS*) and its localization to chromosome 18 by somatic cell hybrids, 275

Nicoli D see Davoli R
Nielsen VH, Bendixen C & Thomsen B: A
Pstl RFLP at the porcine gene encoding
the catalytic alpha subunit of protein
kinase CK2, 373

Nijman IJ, Lenstra JA, Schwerin M & Olsaker I: Polymorphisms and physical locations of three bovine microsatellite loci: *IOBT395*, *IOBT528*, *IOBT1401*, 221

Nijman IJ, Lenstra JA, Schwerin M, Guérin G, Castiglioni B, Ferretti L & Olsaker I: Physical and genetic mapping of two polymorphic bovine dinucleotide repeats: IOBT 450 (D6S31) and IDVGA80 (D2S46), 377

Nonneman D see Shibuya H Nonneman D, Shibuya H & Johnson GS: A BsmAI PCR/RFLP in the bovine microtubule-associated protein-5 (MAP1B) gene, 288

Nonneman D, Shibuya H & Johnson GS: A BstUI PCR/RFLP in the bovine tyrosinase-related protein 1 (TYRP1) gene, 218

O'Donoghue P see Coughlan J O'Sullivan NP see Lamont SJ Obexer-Ruff G see Arriëns MA see also Buitkamp J Ogg SL see Ashwell MS

Ojala M see Ikonen T
Okumura N, Ishiguro N, Nakano M, Matsui
A & Sahara M: Intra- and interbreed
genetic variations of mitochondrial DNA
major non-coding regions in Japanese
native dog breeds (Canis familiaris), 397

Olsaker I see Anastassiadis C see also Kühn Ch see also Martín-Burriel I see also Nijman IJ see also Slettan A

Olsaker I, Chowdhary BP & Guérin G: A highly polymorphic bovine dinucleotide repeat D3S40 (IOBT 250) derived from a chimeric cosmid clone, 59

Olsaker I, Solinas-Toldo S & Fries R: A highly polymorphic bovine dinucleotide repeat D19S4 (IOBT 34) at chromosome 19q21, 58

Ostellari L, Bargelloni L, Penzo E, Patarnello P & Patarnello T: Optimization of single-strand conformation polymorphism and sequence analysis of the mitochondrial control region in Pagellus bogaraveo (Sparidae, Teleostei): rationalized tools in fish population biology, 423

Oulmouden A see Antoniou E Oyunsuren T see Ishida N

Palmer B see Roberts N
Panthier JJ see Mariat D
Pappalardo M, Rando A, Cosenza G,
Capuano M & Ramunno L: A Ball RFLP
at the goat J-casein gene, 123

Park C see Ma RZ Park LK, Moran P & Dightman DA: A chinook salmon PCR – RFLP marker in the p53 locus, 127

Parsons YM, Cooper DW & Piper LR: Genetic variation in Australian Merino sheep, 223

Patarnello P see Ostellari L Patarnello T see Ostellari L Pearce PD see Broad TE

Peelman LJ, Mattheeuws M, Van Zeveren A, Van de Weghe A & Bouquet Y: Conservation of the RD BF-C2 organization in the pig MHC class-III region: mapping and cloning of the pig RD gene. 35

Peelman LJ, Van de Weghe A, Coppieters W, Van Zeveren A & Bouquet Y: Two microsatellites on pig chromosome 7, 439

Pegoraro L, Yang Z, Samaké S, Meirelles FV, Bordingnon V, Moquin L & Smith LC: Sequence comparison of mitochondrial tRNA genes and origin of light strand replication in *Bos taurus* and Nellore (*Bos indicus*) breeds, 91 Penzo E see Ostellari L

Perelygin AA, Samollow PB, Perelygina LM, Cherry LM, Mahaney SM & VandeBerg JL: A new DNA marker, U15557, is linked to protease inhibitor and adenylate kinase-1 in the laboratory opossum, Monodelphis domestica, 113

Perelygina LM see Perelygin AA
Phua SH & Wood NJ: A high-frequency
Taql polymorphism at the ovine
phenylalanine hydroxylase (PAH) locus,
124

Phua SH & Wood NJ: Haplotypes of restriction polymorphisms as informative genetic markers at the ovine glutathione reductase (GSR) locus, 122

Phua SH see Wood NJ Pihkanen S, Väinöiä R & Varvio S: Characterizing dog breeds differentiation with microsatellite markers, 343

Piper LR see Parsons YM
Pirchner F see Kühn R
Pitel F, Lantier I, Gellin J, Elsen J-M &
Lantier F: Two polymorphic
microsatellite markers close to the ovine
NRAMP gene, 60

Pitra Ch see Schmidt P Plante Y see Lang KDM see also Talbot J Plotsky Y see Lamont SJ

Poli G see Zanotti M
Polli M see Zanotti M
Pomp D see Clutter AC
see also Messer L

Ponce de León FA see Benkel BF Ponti W see Zanotti M Prakash B see Martín-Burriel I Presley L see Cole SA

Prinzenberg EM, Hiendleder S, Ikonen T & Erhardt G: Molecular genetic characterization of new bovine kappcasein alleles CSN3F and CSN3G and genotyping by PCR-RFLP, 347

Protais J see Girard-Santosuosso O

Rajan GH, Morris CA, Carruthers VR, Wilkins RJ & Wheeler TT: The relative abundance of a salivary protein, bSP30, is correlated with susceptibility to bloat in cattle herds selected for high or low bloat susceptibility, 407

Ramunno L see Pappalardo M Rando A see Pappalardo M Rapacz J see Vögeli P

Ray K, Trepanier LA, Acland GM & Aguirre GD: PCR/RFLP marker in the canine opsin gene. 293

Ray K, Zeiss C, Acland GM, Trepanier LA & Aguirre GD: A highly polymorphic RFLP marker in the canine transducin α-1 subunit gene (GNAT1), 372

Ray SA see Smith EJ
Redaelli L, Zhang Y, Castiglioni B,
Mezzelani A, Comincini S, Guérin G &
Ferretti L: Characterization and mapping
of three bovine polymorphic
microsatellite loci, 121

Reid R see Coogle L Reinhart B see Wen G Renard C see Yerle M Rettenberger G see Neuenschwander S Rexroad Jr CE see Ashwell MS Riquet J, Schmitz A, Cruzel J, Mulsant P, Milan D & Gellin J: Assignment of markers by using polymerase chain reaction on pools of swine flow-sorted chromosomes, 133

Roberts N, Palmer B, Hickford JGH & Bickerstaffe R: PCR–SSCP in the ovine calpastatin gene, 211

Robic A see Yerle M Rocchi M see Zanotti M Rodellar C see Elduque C Rodriguez MC see Castellanos C Rohrer GA see Alexander LJ Ron M see Band M Rothschild MF see Kapke P

see also Messer L Rottman O see Anastassiadis C Ruottinen O see Ikonen T Russ I see Ma RZ Russ M see Coogle L Russo S see Zanotti M

Russo S see Zanotti M Russo V see Davoli R Ruyter-Spira CP, Crooijmans RPMA,

Ruyter-Spira CP, Crooijmans RPMA,
Dijkhof RJM, van Oers PAM, Strijk JA,
van der Poel JJ & Groenen MAM:
Development and mapping of
polymorphic microsatellite markers
derived from a chicken brain cDNA
library, 229

Sadusky T see McGregor D
Sahara M see Okumura N
Samaké S see Pegoraro L
Samollow PB see Perelygin AA
San Primitivo F see Arranz JJ
Sànchez A see Amills M
Sasaki S see Clutter AC
Schmidt P, Kühn Ch & Pitra Ch:
Mononucleotide repeat polymorphism
within intron 1 of the bovine interferon-y
gene, 211

Schmidt P, Ludt C, Kühn Ch & Buitkamp J: A diallelic tetranucleotide repeat,  $(GT_3)_5$ or 6, within intron 1 of the ovine

interferon-γgene, 437 Schmitz A see Riquet J Schmoelzl S see Wen G Schröffel Jr J see Čepica S Schwerin M see Nijman IJ Seyfert H-M see Weikard R

Shalom A, Darvasi A, Barendse W, Cheng H & Soller M: Single-parent segregant pools for allocation of markers to a specified chromosomal region in outcrossing species, 9

Shibata T & Abe T: Linkage between the loci for serum albumin and vitamin D binding protein (GC) in the Japanese quail, 195

Shibuya H see Nonneman D
Shibuya H, Collins BK, Collier LL, Huang
TH-M, Nonneman D & Johnson GS: A
polymorphic (GAAA)<sub>n</sub> microsatellite in a
canine Wilms tumor 1 (WT1) gene intron,

Shukri NM, Holm L-E & Brusgaard K: A polymorphic trinucleotide microsatellite in cattle: BtDIAS1, 373

Signer EN, Armour JAL & Jeffreys AJ: Detection of an Mbol RFLP at the porcine clotting factor IX locus and verification of sex linkage, 130 Sitte K, East IJ & Jazwinska EC: Detection of a common BoLA–DRB3 deletion by sequence-specific oligonucleotide typing, 271

Skidmore V see Antoniou E Skow LC & Nall CA: A second polymorphism in exon 2 of the BoLA–DYA gene, 216

Slettan A, Olsaker I & Lie Ø: Polymorphic Atlantic salmon, Salmo salar L., microsatellites at the SSOSL438, SSOSL439 and SSOSL444 loci, 57

Smith AJ see Hulme DJ Smith C see Taylor C

Smith EJ, Ray SA & Drummond PB: A Mbol polymorphism in the turkey revealed by (TCC)<sub>5</sub> single primer amplified DNA fragment, 215

Smith LC see Pegoraro L
Smith LC see Pegoraro L
Smith LM see Cathey JC
Solinas-Toldo S see Olsaker I
Soller M see Shalom A
Spier S see Bowling AT
Stamm M see Vögeli P
Stefansson S see Coughlan J
Stet RJM see Wiergertjes GF
Stone RT see Beever JE
Stone RT, Kappes SM & Beattie CW: Five

Stone RT, Kappes SM & Beattie CW: Five polymorphic trinucleotide (CCA) bovine microsatellites, 216

Stranzinger G see Neuenschwander S see also Vögeli P

Stratil A see Čepica S Stricker C see Vögeli P Strijk JA see Ruyter-Spira CP Su X see Kossarek LM

Sugimoto Y see Hirano T Sun HS, Doud L, Eggen A, Bishop MD, Barendse W & Kirkpatrick BW: *UW52* and *UW53*: polymorphic bovine microsatellites, 219

Sun HS, Womack JE & Kirkpatrick BW: Syntenic assignment of dopamine tautomerase (*DCT*) to bovine chromosome 12, 421

Talbot J, Haigh J & Plante Y: A parentage evaluation test in North American Elk (Wapiti) using microsatellites of ovine and bovine origin, 117

Tammen I & Ferretti L: A bovine polymorphic microsatellite locus IDVGA68 (D16S23) assigned to BTA 16, 433

Taylor C, Everest M & Smith C: Restriction fragment length polymorphism in amplification products of the bovine butyrophilin gene: assignment of bovine butyrophilin to bovine chromosome 23, 183

Taylor JF see Beever JE
Teres V, Lester DH & Williams JL: Mapping
of bovine fibroblast growth factor
receptor 3 (FGFR3) to the telomeric
region of chromosome 6 by SSCP
analysis, 371

Thomsen B see Nielsen VH
Thomsen PD see Jørgensen CB
Tixier-Boickard M, Kritchmann N,
Morisson M, Bordas A & Hillel J:
Assessment of genomic variability

through DNA fingerprinting within and between chicken lines divergently selected for residual food consumption, 163

Trepanier LA see Ray K

Urdaci M see Antoniou E
Urquhart BGD & Williams JL: Sequencing of
a novel cDNA and mapping to bovine
chromosome 3 by single-strand
conformation polymorphism (SSCP), 438

Urquhart BGD see Williams JL
Urquhart BGD, Lester DH & Williams JL:
Sequencing of a novel cDNA and
mapping to bovine chromosome 7 by
denaturing gradient gel electrophoresis,
371

Vaiman D see Mariat D
Väinöiä R see Pihkanen S
Van de Weghe A see Peelman LJ
van der Bank FH see Engelbrecht JS
van der Poel JJ see Groenen MAM
see also Liu Z
see also Ruyter-Spira CP
van Eijk MJT see Zanotti M

Van Lith HA & Van Zutphen LFM: Characterization of rabbit DNA microsatellites extracted from the EMBL nucleotide sequence database, 387

Van Muiswinkel WB see Wiergertjes GF van Oers PAM see Ruyter-Spira CP Van Zeveren A see Peelman LJ Van Zutphen LFM see Van Lith HA VandeBerg JL see Perelygin AA VanRaden PM see Ashwell MS Varvio S see Pihkanen S

Vega-Pla JL, Garrido JJ, Dorado G & de Andrés-Cara DF: Three new polymorphic equine microsatellites: HLM2, HLM3, HLM5, 215

Vigoni MT see Anglana M Vögeli P, Bertschinger HU, Stamm M, Stricker C, Hagger C, Fries R, Rapacz J & Stranzinger G: Genes specifying receptors for F18 fimbriated *Escherichia coli*, causing oedema disease and postweaning diarrhoea in pigs maps to chromosome 6,

Voorthuis P see Wiergertjes GF

Wada Y see Yasue H
Wang L see Kapke P
see also Messer L
Wang Y see Lang KDM
Watanabe T see Hirano T
Weikard R see Kühn Ch
Weikard R, Henke M, Kühn Ch, Barendse
W & Seyfert H-M: A polymorphic
microsatellite within the
immunorelevant bovine lysozymeencoding gene, 125

Weimann C see Hiendleder S
Wen G, Leeb T, Reinhart B, Schmoelzl S &
Brenig B: The porcine skeletal muscle
ryanodine receptor gene structure coding
region 1 to 10614 harbouring 71 exons,
297

Wheeler TT see Rajan GH Wiergertjes GF, Bongers ABJ, Voorthuis P, Zandieh Doulabi B, Groeneveld A, Van Muiswinkel WB, Stet RJM: Characterization of isogenic carp (Cyprinus carpio L.) lines with a genetically determined high or low antibody production, 313

Wilkins RJ see Rajan GH Williams JL see Teres V see also Urquhart BGD

Williams JL, Morgan ALG, Guérin G & Urquhart BGD: Ten new cosmid derived bovine microsatellite markers, 380

Williams JL, Urquhart BGD, Castiglioni B & Ferretti L: Mapping two bovine marker loci, IDVGA66 (D16S34) and IDVGA76 (D14S35) by SSCP, 442

Williams JL, Urquhart BGD, Barendse W & Ferretti L: Genetic mapping of 26 cosmid-derived bovine microsatellite markers, 380

Winterø AK see Fredholm M Womack JE see Sun HS Wood NJ & Phua SH: Variation in the control region sequence of the sheep mitochondrial genome, 25 Wood NJ see Phua SH

Yamakuchi H see Hirano T Yancovich A, Levin I, Cahaner A & Hillel J: Introgression of the avian naked neck gene assisted by DNA fingerprints, 149

Yang Z see Pegoraro L
Yao J, Zadworny D, Kühnlein U, Aggrey SE
& Hayes JF: A Mspl polymorphism in the
bovine ornithine decarboxylase gene and
its possible association with selection for
milk production in Holstein bulls, 283

Yasue H & Wada Y: A swine SINE (PRE-1 sequence) distribution in swine-related animal species and its phylogenetic analysis in swine genome, 95

Yelich J see Messer L Yerle M, Robic A & Renard C: Five molecular markers localized by FISH on pig chromosomes, 217

Yossefi S & Gootwine E: A Pvull RFLP at the ovine placental lactogen CSH1 locus,

Zadworny D see Yao J
Zahorchak R see Eggleston-Scott ML
Zambonelli P see Davoli R
Zandieh Doulabi B see Wiergertjes GF
Zanotti M, Poli G, Ponti W, Polli M, Rocchi
M, Longeri M, Russo S, Lewin HA & van
Eijk MJT: Association of BoLA class II
haplotypes with subclinical progression
of bovine leukaemia virus infection in
Holstein-Friesian cattle, 337

see also Martín-Burriel I Zeiss C see Ray K Zhang W, Brown SC & Moran C: Alanyl aminopeptidase N (ANPEP) microsatellite: now a framework marker on porcine chromosome 7 map, 378

Zaragoza P see Elduque C

Zhang Y see Redaelli L Zsolnai A & Fésüs L: Simultaneous analysis of bovine κ-casein and BLAD alleles by multiplex PCR followed by parallel digestion with two restriction enzymes,

## **Keyword index**

| agglutination            | 103                  | disease association              | 337         | keratins              | 223                       |
|--------------------------|----------------------|----------------------------------|-------------|-----------------------|---------------------------|
| albumin                  | 195                  | distribution                     | 95          |                       |                           |
| alignment                | 187                  | divergent selection              | 163         | laboratory opossum    | 113                       |
| allele                   | 179                  | DNA fingerprint                  | 163         | leptin                | 275                       |
| allele-specific PCR      | 333                  | DNA fingerprints                 | 1           | leucocyte adhesion    | 207                       |
| allozyme variation       | 77                   | DNA markers                      | 149, 387    | linkage               | 113, 183, 195             |
| alpha-1-antitrypsin      | 85                   | DNA microsatellites              | 415         | linkage heterogeneity |                           |
| assignment analysis      | 133                  | DNA pooling                      | 9           | linkage map           | 255                       |
| assignment analysis      | 100                  | DNA variants                     | 329         | linkage mapping       | 351, 355                  |
| Q leaterlabulin          | 179                  | dog breeds                       | 343         | LPR                   | 109                       |
| β-lactoglobulin          | 77                   |                                  |             | LITA                  | 109                       |
| Barbus amatolicus        |                      | dogs                             | 19          | . 1                   | 11.                       |
| Barbus gurneyi           | 77                   | man.                             |             | major histocompatibi  |                           |
| Barbus motebenesis       | 77                   | EAD                              | 109         | complex (MHC)         | 69, 313                   |
| BF genes                 | 35                   | EAO                              | 109         | malignant hyperther   |                           |
| biochemical polymorphi   |                      | electrophoresis                  | 407         | mapping               | 183, 421                  |
| BLAD                     | 207                  | elk                              | 117         | maternal lineage      | 333                       |
| bloat                    | 407                  | EMBL nucleotide database         | 387         | MHC                   | 35                        |
| blood                    | 53                   | endangered cattle breeds         | 105         | MhcOvar               | 305                       |
| BoLA                     | 69                   | enriched libraries               | 243         | microsatellite        | 191, 203, 243, 365        |
| BoLA-A alleles           | 429                  | enzyme mix                       | 207         | microsatellites 9     | 9, 19, 43, 117, 157, 199, |
| BoLA-DRB3                | 271,55               | epidermal growth factor          | 99          |                       | 229, 249, 343, 355, 387   |
| Bos taurus               | 91                   | equine D system                  | 103         | milk proteins         | 105                       |
| bovine 69, 171, 183, 207 |                      | Escherichia coli                 | 321         | minisatellite         | 49                        |
|                          | 43                   | ETL.                             | 235         | mitochondrial DNA     |                           |
| bovine gene mapping      |                      | EIL                              | 233         |                       | 91, 333, 359, 423         |
| bovine leukaemia virus   | 337                  | C . DC                           | 100         |                       | non-coding region 397     |
| bovine lymphocyte antig  |                      | factor Df                        | 103         | mitochondrial genon   |                           |
| BTN                      | 183                  | flow-sorted chromosomes          | 133         | multiplex             | 117                       |
| butyrophilin             | 171                  | framework map                    | 69          |                       |                           |
|                          |                      | frequency                        | 179         | Nellore               | 91                        |
| C2 genes                 | 35                   |                                  |             |                       |                           |
| Canis                    | 343                  | gene for F18 receptor            | 321         | oedema disease        | 321                       |
| carcass performance      | 429                  | gene mapping 9, 85, 109, 17      | 1, 249, 275 | ornithine decarboxy   | lase 283                  |
| casein                   | 207                  | gene substitution                | 429         | Oryctolagus cunicul   | us 387                    |
| caseins                  | 179                  | genetic disease                  | 279         | Ovar-DQA1             | 305                       |
| cattle                   | 333, 347, 365, 415   | genetic diversity                | 223         | Ovar-DQA2             | 305                       |
| cDNA                     | 229                  | genetic linkage                  | 69          | Ovar-DQB              | 305                       |
| cell hybrids             | 249                  | genetic marker                   | 191, 369    | Ovar-DRA              | 305                       |
| Cervus elaphus           | 199                  | genetics resource                | 55          | Ovar-DRB              | 305                       |
| Chelex®                  | 49                   | genome mapping                   | 229         | Ovis aries            | 249                       |
| chicken                  |                      |                                  |             |                       |                           |
|                          | 1, 53, 163, 191, 229 | genomic organization             | 297         | ovulation rate        | 157                       |
| cholecystokinin          | 369                  | genomic selection                | 149         | Po.                   |                           |
| chr. 6q12                | 297                  | genotype                         | 103         | P3                    | 109                       |
| chromosome 3             | 355                  | growth hormone gene              | 329         | parentage             | 117                       |
| chromosome 7             | 85                   |                                  |             | parentage control     | 19                        |
| chromosome 9             | 355                  | halothane linkage group          | 321         | PASA                  | 329                       |
| chromosome 14            | 187                  | heterozygosity                   | 223         | PCR 49, 99, 117, 175, | , 183, 191, 283, 347, 369 |
| chromosome 23            | 69                   | horse                            | 279, 359    | PCR-RFLP              | 279, 337, 351, 359        |
| co-segregant analysis    | 9                    | HYPP                             | 279         | persistent lymphocy   | rtosis 337                |
| codon deletion           | 271                  |                                  |             | phylogenetic analys   |                           |
| comparative map          | 421                  | immune responsiveness            | 313         | PI 85                 |                           |
| control region           | 423                  | in situ hybridization            | 249         |                       | 255, 275, 321, 351, 355   |
| cosmid                   | 203                  | inbreeding                       | 163         | pig gene mapping      | 133                       |
| Creole cattle            | 55                   | intra- and interbreed nucleotide | 105         | PiGMaP                | 85                        |
| CSN3                     | 347                  | difference                       | 397         | pigs                  | 85                        |
| Cyprinidae               | 77                   |                                  |             |                       |                           |
|                          |                      | introgression                    | 149         | polymorphism          | 43, 91, 191, 199, 305,    |
| Cyprinus carpio L.       | 313                  | isoelectric focusing             | 105         |                       | 347, 365                  |
| cytochrome b             | 359                  | isogenic lines                   | 313         | population genetics   |                           |
| -                        |                      |                                  |             | population structure  |                           |
| D-loop                   | 333                  | Japanese native dog breeds       | 397         | porcine               | 175, 369                  |
| D-loop region            | 25                   | Japanese quail                   | 195         | porcine genome ma     |                           |
| dairy cattle             | 235                  |                                  |             | porcine linkage mar   | 187                       |
| denaturing gradient gel  | electrophoresis 99   | ĸ-casein                         | 105, 347    | porcine skeletal mu   | scle ryanodine            |
| direct polymerase chair  | n reaction 53        | karyotyping                      | 133         | receptor gene         | 297                       |
|                          |                      |                                  |             | 1 0                   |                           |

| post-weaning diarrhoea             | 321    | salivary proteins                        | 407         | swine SINEs               | 95        |
|------------------------------------|--------|--|-------------|---------------------------|-----------|
| PRE-1                              | 95     | selective genotyping                     | 235         | synteny                   | 421       |
| protein markers                    | 415    | sequence variation                       | 25          |                           |           |
| quantitative trait loci            | 1, 157 | sequence-specific oligonucleotide<br>271 | etyping     | transthyretin<br>tRNA     | 351<br>91 |
|                                    |        | serology                                 | 103         | TTR                       | 351       |
| rabbit                             | 387    | sex-specific recombination rates         | 113         | tubercles                 | 77        |
| random amplified polymorphic DNA 9 |        | sheep 99                                 | 9, 203, 249 | turkev                    | 191       |
| RD genes                           | 35     | SINE                                     | 243         | twinning                  | 157       |
| reagent                            | 103    | single-strand conformation               |             | twinning                  | 137       |
| red blood cells                    | 53     | polymorphism                             | 333         |                           |           |
| regulatory DNA sequences           | 329    | somatic cell score                       | 235         | variability               | 55        |
| reproduction traits                | 429    | somatostatin                             | 133         | vitamin D binding protein | 195       |
| retinoic acid receptor-y           | 175    | Sparidae                                 | 423         | VNTR                      | 49        |
| RFLP 183, 207, 223, 283, 347, 369  |        | SSCP                                     | 351, 423    |                           |           |
| RT-PCR                             | 275    | susceptibility                           | 407         | white adipose tissue      | 275       |